

Cold Storage for Everyday Essentials

Fisherbrand Series Laboratory
Refrigerators and Freezers



Cat. No. 31740919



Cat. No. 31740922



Cat. No. 31740918



Cat. No. 31740932

Cold Storage Essentials Built for Reliability

Fisherbrand™ Series laboratory refrigerators and freezers help deliver dependable performance for non-critical, day-to-day storage in laboratory environments. With digital temperature control and practical configurations, including undercounter, stackable, and upright single-door models, these units provide easy access to frequently used supplies. Designed for routine workflows, the Fisherbrand Series offers economical cold storage while maintaining the essential performance laboratories expect.

Cat. No.
31740932



Cat. No.
31740918



Built for ease of use

Fisherbrand Series refrigerators and freezers are designed for simple, intuitive operation. Plug-and-play installation with installed casters helps you begin using your equipment quickly, and digital controls offer clear access to temperature settings and alarms. Daily operation is whisper-quiet, allowing your lab to focus on its work.



Built to support your lab

The Fisherbrand Series is available in a range of configurations to meet the needs of many laboratory spaces. Choices include undercounter units, stackable models, and upright single-door refrigerators and freezers. Whether you require a space-saving design or routine-use storage, the Fisherbrand Series helps you select the right cold storage solution for your workflows and your budget.



Glass Door Refrigerators

Fisherbrand Series glass door refrigerators offer enhanced visibility for routine laboratory use. Bright interior lighting and a clear glass door make it easy to check inventory at a glance. With digital temperature control and a range of practical sizes, these units support everyday access to frequently used supplies while providing economical performance.

- Three convenient sizes ranging from 77 litres to 564 litres
- Factory setpoint +5°C
- Digital controller with clear display
- Bright interior LED lighting
- Temperature and door ajar visual alarms
- Access port
- Keyed door lock
- 2 year parts and labor warranty

Cat. No.
31740919



Fisherbrand Series glass door lab refrigerators

| Cat. No. | Temp. range (set point) | Capacity gross/net cuft (L) | Electrical plug | Doors | Shelves | Exterior dimensions D x W x H cm | Shipping weight lbs. (kg) |
|----------|-------------------------|-----------------------------|------------------------|---------|---------|----------------------------------|---------------------------|
| 31740919 | 1-10°C (5°C) | 4.5/3 (123/77) | 230 V, 50 Hz (CEE 7/7) | 1 Glass | 2 | 66.8 x 59.5 x 83.3 | 127.8 (58) |
| 31740918 | 1-10°C (5°C) | 12/9.4 (343/266) | 230 V, 50 Hz (CEE 7/7) | 1 Glass | 5 | 66.8 x 59.5 x 190 | 218 (99) |
| 31740924 | 1-10°C (5°C) | 22/20 (627/564) | 230 V, 50 Hz (CEE 7/7) | 1 Glass | 4 | 88.1 x 71.1 x 202.4 | 335 (146) |

Solid Door Refrigerators

Fisherbrand Series solid door refrigerators deliver enhanced durability and light protection, helping to ensure a consistent environment for everyday storage. Offered in multiple sizes and ready to use out of the box, they provide economical, dependable performance for day-to-day workflows.

- Three convenient sizes ranging from 77 litres to 564 litres
- Factory setpoint is +5°C
- Digital controller with clear display
- Temperature and door ajar visual alarms
- Access port
- Keyed door lock
- 2 year parts and labor warranty

Cat. No.
31740922



Cat. No.
31740932

Fisherbrand Series solid door lab refrigerators

| Cat. No. | Temp. range (set point) | Capacity gross/net cuft (L) | Electrical plug | Doors | Shelves | Exterior dimensions D x W x H cm | Shipping weight lbs. (kg) |
|----------|-------------------------|-----------------------------|------------------------|---------|---------|----------------------------------|---------------------------|
| 31740922 | 1-10°C (5°C) | 4.5/3 (123/77) | 230 V, 50 Hz (CEE 7/7) | 1 Solid | 2 | 64.3 x 59.4 x 83.3 | 114 (52) |
| 31740932 | 1-10°C (5°C) | 12/9.4 (343/266) | 230 V, 50 Hz (CEE 7/7) | 1 Solid | 5 | 64.5 x 59.5 x 190 | 192 (87) |
| 31740929 | 1-10°C (5°C) | 22/20 (627/564) | 230 V, 50 Hz (CEE 7/7) | 1 Solid | 4 | 88.1 x 71.4 x 202.4 | 317 (144) |

Freezers

Preset to -20°C , Fisherbrand auto-defrost freezers provide simple operation and dependable performance for routine laboratory workflows. Available in a variety of sizes, they offer economical cold storage suited for daily use while maintaining essential, reliable performance.

- Three convenient sizes ranging from 77 litres to 564 litres
- Factory setpoint is -20°C
- Digital controller with clear display
- Temperature and door ajar alarms
- Access port
- Keyed door lock
- 2 year parts and labor warranty



Cat. No.
31740927

Fisherbrand Series freezers

| Cat. No. | Temp. range (set point) | Capacity gross/net cuft (L) | Electrical plug | Doors | Shelves | Exterior dimensions D x W x H cm | Shipping weight lbs. (kg) |
|----------|---|-----------------------------|---------------------------|---------|---------|----------------------------------|---------------------------|
| 31740930 | -15 to -25°C (-20°C) | 4.5/3 (123/77) | 230 V, 50 Hz (CEE 7/7) | 1 Solid | 2 | 64.3 x 59.4 x 83.3 | 115 (52) |
| 31740928 | -15 to -25°C (-20°C) | 12/9.4 (343/266) | 230 V, 50 Hz (CEE 7/7) | 1 Solid | 5 | 64.3 x 59.5 x 190 | 194 (88) |
| 31740927 | -15 to -25°C (-20°C) | 22/20 (627/564) | 230 V, 50 Hz (CEE 7/7) | 1 Solid | 4 | 88.1 x 71.4 x 202.4 | 335 (152) |

Combination Units

Fisherbrand Series combination units create a compact, space-saving cold storage solution for laboratories with limited room or a need for stacked configurations. Undercounter refrigerators and freezers can be paired with a purpose-built stacking kit, and units are available with either glass or solid refrigerator doors. These systems offer versatile, economical performance for routine workflows that require both refrigerated and frozen storage.

- Easy-to-install stacking kit can be purchased as an accessory
- Available in glass or solid-door refrigerators
- 154 litres stacked capacity
- Freezer factory setpoint is -20°C
- Refrigerator factory setpoint is $+5^{\circ}\text{C}$
- 2 year parts and labor warranty



Cat. No.
31740922

Cat. No.
31740919

Fisherbrand Series refrigerator & freezer combination units

| Model No. | Temp. range (set point) | Capacity gross/net cuft (L) | Electrical plug | Doors | Shelves | Exterior dimensions D x W x H cm | Shipping weight lbs. (kg) |
|-----------|---|-----------------------------|---------------------------|-----------------------------------|---------|----------------------------------|---------------------------|
| 31740926* | 1 – 10°C (5°C) -15 to -25°C (-20°C) | 4.5/3 (123/77) x2 | 230 V, 50 Hz (CEE 7/7) | 1 Glass (Ref)/1 Solid (Frz) | 2, 2 | 66.7 x 59.5 x 166.6 | 118 (53) |
| 31740931* | 1 – 10°C (5°C) -15 to -25°C (-20°C) | 4.5/3 (123/77) x2 | 230 V, 50 Hz (CEE 7/7) | 1 Solid (Ref)/1 Solid (Frz) | 2, 2 | 64.5 x 59.5 x 166.6 | 118 (53) |

*Combination package comes complete with the stacking kit accessory (31740938).



Cat. No. 31740919



Cat. No. 31740922



Cat. No. 31740918



Cat. No. 31740932

Visit eu.fishersci.com to learn more.

Distributed by Fisher Scientific. Contact us today:

Austria: fishersci.at Belgium: fishersci.be Denmark: fishersci.dk
Germany: fishersci.de Ireland: fishersci.ie Italy: fishersci.it
Finland: fishersci.fi France: fishersci.fr Netherlands: fishersci.nl
Norway: fishersci.no Portugal: fishersci.pt Spain: fishersci.es
Sweden: fishersci.se Switzerland: fishersci.ch UK: fishersci.co.uk